

# EP GRAIN REWARDS

WHEAT POOL 2008-09

EYRE PENINSULA, SOUTH AUSTRALIA



EP GRAIN PTY LTD

7th November 2008

| APW1        |     |       |       |       |       |      |      |      |      |      |
|-------------|-----|-------|-------|-------|-------|------|------|------|------|------|
| Protein     |     |       |       |       |       |      |      |      |      |      |
| Screenings  |     | 10.5  | 11.0  | 11.5  | 12.0  |      |      |      |      |      |
|             | 1.0 | 10.00 | 12.50 | 15.00 | 15.00 |      |      |      |      |      |
|             | 2.0 | 7.50  | 10.00 | 12.50 | 12.50 |      |      |      |      |      |
|             | 3.0 | 5.00  | 7.50  | 10.00 | 10.00 |      |      |      |      |      |
|             | 4.0 | 2.50  | 5.00  | 7.50  | 7.50  |      |      |      |      |      |
|             | 5.0 | 0.00  | 2.50  | 5.00  | 5.00  |      |      |      |      |      |
| Moisture    |     |       |       |       |       |      |      |      |      |      |
| %           |     | 6.0   | 7.0   | 8.0   | 9.0   | 10.0 | 11.0 | 11.5 | 12.0 | 12.5 |
| \$          |     | 13.00 | 11.00 | 9.00  | 7.00  | 5.00 | 3.00 | 2.00 | 1.00 | 0.00 |
| Test Weight |     |       |       |       |       |      |      |      |      |      |
| kg/hl       |     | 74.0  | 76.0  | 78.0  | 80.0  | 82.0 | 84.0 | 86.0 | 88.0 | 90.0 |
| \$          |     | 0     | 0.50  | 1.00  | 2.00  | 3.00 | 4.00 | 5.00 | 6.00 | 6.00 |

| H2          |     |       |       |       |       |      |      |      |      |      |
|-------------|-----|-------|-------|-------|-------|------|------|------|------|------|
| Protein     |     |       |       |       |       |      |      |      |      |      |
| Screenings  |     | 11.5  | 12.0  | 13.0  | 14.0  |      |      |      |      |      |
|             | 1.0 | 10.00 | 12.50 | 17.00 | 17.00 |      |      |      |      |      |
|             | 2.0 | 7.50  | 10.00 | 14.50 | 14.50 |      |      |      |      |      |
|             | 3.0 | 5.00  | 7.50  | 12.00 | 12.00 |      |      |      |      |      |
|             | 4.0 | 2.50  | 5.00  | 9.50  | 9.50  |      |      |      |      |      |
|             | 5.0 | 0.00  | 2.50  | 7.00  | 7.00  |      |      |      |      |      |
| Moisture    |     |       |       |       |       |      |      |      |      |      |
| %           |     | 6.0   | 7.0   | 8.0   | 9.0   | 10.0 | 11.0 | 11.5 | 12.0 | 12.5 |
| \$          |     | 13.00 | 11.00 | 9.00  | 7.00  | 5.00 | 3.00 | 2.00 | 1.00 | 0.00 |
| Test Weight |     |       |       |       |       |      |      |      |      |      |
| kg/hl       |     | 74.0  | 76.0  | 78.0  | 80.0  | 82.0 | 84.0 | 86.0 | 88.0 | 90.0 |
| \$          |     | 0     | 0.50  | 1.00  | 2.00  | 3.00 | 4.00 | 5.00 | 6.00 | 6.00 |

| ASW1        |     |       |       |       |       |      |      |      |      |      |
|-------------|-----|-------|-------|-------|-------|------|------|------|------|------|
| Protein     |     |       |       |       |       |      |      |      |      |      |
| Screenings  |     | 9.0   | 10.0  | 11.0  | 12.0  |      |      |      |      |      |
|             | 1.0 | 10.00 | 10.00 | 10.00 | 10.00 |      |      |      |      |      |
|             | 2.0 | 7.50  | 7.50  | 7.50  | 7.50  |      |      |      |      |      |
|             | 3.0 | 5.00  | 5.00  | 5.00  | 5.00  |      |      |      |      |      |
|             | 4.0 | 2.50  | 2.50  | 2.50  | 2.50  |      |      |      |      |      |
|             | 5.0 | 0.00  | 0.00  | 0.00  | 0.00  |      |      |      |      |      |
| Moisture    |     |       |       |       |       |      |      |      |      |      |
| %           |     | 6.0   | 7.0   | 8.0   | 9.0   | 10.0 | 11.0 | 11.5 | 12.0 | 12.5 |
| \$          |     | 13.00 | 11.00 | 9.00  | 7.00  | 5.00 | 3.00 | 2.00 | 1.00 | 0.00 |
| Test Weight |     |       |       |       |       |      |      |      |      |      |
| kg/hl       |     | 74.0  | 76.0  | 78.0  | 80.0  | 82.0 | 84.0 | 86.0 | 88.0 | 90.0 |
| \$          |     | n/a   | n/a   | n/a   | n/a   | n/a  | n/a  | n/a  | n/a  | n/a  |

| H1          |     |       |       |       |       |      |      |      |      |      |
|-------------|-----|-------|-------|-------|-------|------|------|------|------|------|
| Protein     |     |       |       |       |       |      |      |      |      |      |
| Screenings  |     | 13.0  | 14.0  | 15.0  | 16.0  |      |      |      |      |      |
|             | 1.0 | 10.00 | 15.00 | 20.00 | 22.50 |      |      |      |      |      |
|             | 2.0 | 7.50  | 12.50 | 17.50 | 20.00 |      |      |      |      |      |
|             | 3.0 | 5.00  | 10.00 | 15.00 | 17.50 |      |      |      |      |      |
|             | 4.0 | 2.50  | 7.50  | 12.50 | 15.00 |      |      |      |      |      |
|             | 5.0 | 0.00  | 5.00  | 10.00 | 12.50 |      |      |      |      |      |
| Moisture    |     |       |       |       |       |      |      |      |      |      |
| %           |     | 6.0   | 7.0   | 8.0   | 9.0   | 10.0 | 11.0 | 11.5 | 12.0 | 12.5 |
| \$          |     | 13.00 | 11.00 | 9.00  | 7.00  | 5.00 | 3.00 | 2.00 | 1.00 | 0.00 |
| Test Weight |     |       |       |       |       |      |      |      |      |      |
| kg/hl       |     | 74.0  | 76.0  | 78.0  | 80.0  | 82.0 | 84.0 | 86.0 | 88.0 | 90.0 |
| \$          |     | 0     | 0.50  | 1.00  | 2.00  | 3.00 | 4.00 | 5.00 | 6.00 | 6.00 |

| AUH2        |      |        |       |       |       |      |      |      |      |      |
|-------------|------|--------|-------|-------|-------|------|------|------|------|------|
| Protein     |      |        |       |       |       |      |      |      |      |      |
| Screenings  |      | 11.5   | 12.0  | 13.0  | 14.0  |      |      |      |      |      |
|             | 5.0  | 0.00   | 2.50  | 7.00  | 7.00  |      |      |      |      |      |
|             | 6.0  | -2.50  | 0.00  | 4.50  | 4.50  |      |      |      |      |      |
|             | 7.0  | -5.00  | -2.50 | 2.00  | 2.00  |      |      |      |      |      |
|             | 8.0  | -7.50  | -5.00 | -0.50 | -0.50 |      |      |      |      |      |
|             | 10.0 | -10.00 | -7.50 | -3.00 | -3.00 |      |      |      |      |      |
| Moisture    |      |        |       |       |       |      |      |      |      |      |
| %           |      | 6.0    | 7.0   | 8.0   | 9.0   | 10.0 | 11.0 | 11.5 | 12.0 | 12.5 |
| \$          |      | 13.00  | 11.00 | 9.00  | 7.00  | 5.00 | 3.00 | 2.00 | 1.00 | 0.00 |
| Test Weight |      |        |       |       |       |      |      |      |      |      |
| kg/hl       |      | 74.0   | 76.0  | 78.0  | 80.0  | 82.0 | 84.0 | 86.0 | 88.0 | 90.0 |
| \$          |      | n/a    | n/a   | n/a   | n/a   | n/a  | n/a  | n/a  | n/a  | n/a  |

For more information call EP Grain on 08 86824955  
or visit [www.epgrain.com.au](http://www.epgrain.com.au)

All prices are in Australian dollars (AUD) and are Free On Board (FOB). Premiums and discounts are estimates as at the above date shown and delivery location need to be taken into account. The base rate refers to the Estimated Pool Return at a defined level of protein, moisture, screenings and test weight. For full terms and conditions refer to EP Grain website [www.epgrain.com.au](http://www.epgrain.com.au) or call 08 86824955 need to be taken into account. The base rate refers to the Estimated Pool Return at a defined level.